

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK
Physiotherapy Faculty
INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Sr. No.	Particulars to be verified	Actual Available	Lacuna
College			
1	Land details (as per M.S.R.): Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details... 12903.88 Sq.ft./Sq.mtr. (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website.) (No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	YES	ADEQUATE
2	Dean office, Professor's Office, Associate Professor's Office, Assistant Professor's Office, Administrative Block as per M.S.R..	YES	ADEQUATE
3	All DEPARTMENTS (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electrodiagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	YES	ADEQUATE
4	College Library (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).	YES	ADEQUATE
	No. of books added in last year: No. of Journals titles added in last year : [Bills shall be verified by the Committee.]	YES	ADEQUATE
	Digital Library /e – Library availability	NO	IN ADEQUATE
	MUHS Digital Library Availed	NO	IN ADEQUATE
5	Details of all Lecture Theatres with Seating Capacity (as per M.S.R.) along with AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	YES	ADEQUATE
6	Conference Room for Faculty: (as per M.S.R.)		
7	Mini Auditorium: (15 Sq.Ft./Student) (as per M.S.R.)	YES	ADEQUATE
8	Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)	YES	ADEQUATE
9	Core Laboratories: (as per M.S.R.) Exercise Physiology & Fitness : Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	YES	ADEQUATE
10	Physiotherapy Museum: (as per M.S.R.) (Desirable)	YES	ADEQUATE
11	Yoga / Clinical Skill Laboratory: (as per M.S.R.) Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps for Training Transfers.	YES	ADEQUATE
12	University Examination Infrastructure: Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	YES	ADEQUATE
13	Residential quarter facility for staff: Teaching, Non-teaching, Paramedical & Nursing staff	NA	

14	Other facilities: Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility,.	YES	ADEQUATE
15	Hostel Facility: Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	YES	ADEQUATE
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be remarked as "Inadequate" with documentary evidence. 			


HOSPITAL			
16	Hospital Details	Actual Available	Lacuna
	Name of the Hospital : YCM HOSPITAL PIMPRI PUNE	YES	ADEQUATE
	Bed Strength : 750		
	Number of beds registered as per BNH act:		
17	Clinical Facilities: Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : 25000 SQ. FT	YES	ADEQUATE
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	YES	ADEQUATE
c.	Whether Casualty is available and functional:	YES	ADEQUATE
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)	YES	ADEQUATE
19	Ambulances : Owned, Hired	YES	ADEQUATE
	Any other		
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 			

Infrastructure

College Building: Own / Rented _____ **RENTED** _____ ✓

Total built up are a available for college building: 12903.88 sq.ft.

intake capacity: 30


PRINCIPAL
 Late Shree Fakirbhai Pansare
 Education Foundation's
 College Of Physiotherapy, pune-44